

The **PRECISION** you  
require with the  
**VERSATILITY** you need  
to be successful



## Radiofrequency Energy Sources & Accessory Products

Dermatology

Ear, Nose, and Throat (ENT)

Facial Plastic

General Surgery

Gynecology

Ophthalmology / Oculoplastics

Oral / Maxillofacial Surgery

Plastic Reconstructive



Primary Care

Podiatry

Proctology



<b>Radiofrequency (CRF) Energy Sources</b>	<b>4</b>
Five Distinct Waveforms	4
Pellevé® S5	5
Surgitron® Dual RF™ S5	6
Surgitron® Dual RF™ and Surgitron® Dual/EMC	7
AcuSect™	8
Surgitron® FFPF EMC	8
<b>RF Accessories</b>	<b>9</b>
Neutral Plates	9
Footswitches	10
Cables	11
Surg-e®-Doc™	12
EMC Device Accessories	13
Handpieces	15
Bipolar Forceps	17
Bayonet Bipolar Forceps	19
ACe-Tip™ Non-Stick Forceps	20
<b>RF Electrodes</b>	<b>22</b>
Sterile/Single-Use Electrodes	23
Empire® microIncision™ Needles	24
Reusable Electrodes	26
ACe-Tip™ Electrodes	31
Electrode Sets	32
Electrode Accessories	34
<b>Educational Materials</b>	<b>35</b>
Patient Education Brochures	35
Pellevé® Marketing Kits	35
Laser Office Pull Up Banners	35
Pellevé® Posters	35
Pellevé® Before & After Book	35
<b>Smoke Evacuation System</b>	<b>36</b>
Accessories	37
<b>Multi Specialty Accessories</b>	<b>38</b>
Otorhinolaryngology (ENT)	39
General Surgery/Proctology	46
Gynecology	47
Plastic Surgery	49
Dermatology	51
Pellevé® Wrinkle Reduction System	52
Ophthalmology/Oculoplastics	53
Family Practice/Podiatry	55
<b>Index</b>	<b>56</b>




# RADIOFREQUENCY ENERGY SOURCES

## 5 Distinct Waveforms

# 1


### Cut (Fully Filtered)



- Micro-smooth cutting
- Negligible lateral heat
- Minimal cellular destruction
- Best cosmetic results. Fastest healing<sup>1,2</sup>
- Ideal for skin incision and biopsy

# 2

### Blend (Cut/Coag) (Fully Rectified)



- Cutting with hemostasis
- Ideal for sub-cutaneous tissue dissection and planing. Especially useful in vascular areas while producing minimal amounts of lateral heat and tissue damage

# 3

### Coag (Hemo) (Partially Rectified)



- Coagulation / Shrinkage
- Hemostasis with controlled penetration
- Ideal for cutting with hemostatic control

# 4

### Fulguration




- Maximum penetration and hemostasis
- Ideal for intentional tissue destruction

# 5

### Bipolar

- Pinpoint, micro-coagulation
- Minimal tissue adherence to forceps
- Minimal charring or tissue necrosis
- Ideal for coagulation in and around critical anatomy




#### Clinical Citations

1. Bridenstine, J.B., Derm Surgery (1998); vol 24, p397-400
2. Aferzon, M. Derm Surgery (2002); vol 28, p735-738

ellman's radiofrequency technology has received worldwide acclaim and recognition from leading surgeons, clinics, universities and authors.

TRANSMISSION ELECTRON MICROSCOPY SHOWING LATERAL THERMAL DAMAGE ON HUMAN OVIDUCTS BY DIFFERENT INSTRUMENTS



Reference - Oilvar, AC, et al, Ann Clin Lab Sci. 1999 Oct-Dec; 29(4): p281-5.

The ellman® radiofrequency RF source represents advanced radiowave technology that provides outstanding surgical control, precision and versatility. Clinical benefits include reduced post-operative discomfort, minimal scar tissue formation, enhanced healing and excellent cosmetic results.

# RADIOFREQUENCY ENERGY SOURCES

## Pellevé® S5

Magnified view  
of Pellevé® S5  
screen



### Pellevé® S5 RF Energy Source

#### Versatility with the proven Surgitron® platform

The Pellevé® S5 System is a newly enhanced Pellevé-branded version of our proven Surgitron® Dual RF™ S5, providing maximum control in precision cutting and energy delivery, plus more versatility than other energy-based technologies, including:

- GlideSafe® Wrinkle Treatment Handpieces for skin tightening (see page 52)
- Hundreds of surgical electrodes and accessories for most specialties
- Ideal for office and clinic environments

Powered by advanced radiofrequency technology, the patented Pellevé® S5 energy source provides unparalleled surgical PRECISION in soft tissue cutting and coagulation. The high frequency of 4.0 MHz minimizes thermal tissue damage along the incision path.

The S5 offers complete VERSATILITY, with more options for use in surgical and aesthetic procedures than other energy-based platforms and includes the Pellevé® Wrinkle Reduction System, a revolutionary tool for the non-ablative treatment of mild to moderate facial wrinkles.

The patented Pellevé® S5 redefines your surgical results with two distinct frequencies – 4.0 MHz (Monopolar) and 1.7 MHz (Bipolar) – for outstanding precision and control. The Pellevé® S5 and Surgitron® Dual RF™ S5 are the only Ellman energy sources compatible with GlideSafe® Wrinkle Treatment Handpieces.

See page 36 for Cart and Accessories  
See page 52 for GlideSafe® Handpieces

### Pellevé® S5 – IEC

#### \*Item # IEC5P-ST

Shipped complete with:

\*IEC-PC110 (for 110v) power cord

\*IEC-PC220 (for 220v) power cord

DF-FSC#	Dual Footswitch & Cable
IEC-HP1	IEC Foot-Controlled Handpiece
IEC-3FHPB	IEC 3-Button Fingerswitch Handpiece
IEC-3FHPB/D1	Sterile/Single-Use 3-Button Fingerswitch Handpiece
IEC-BC/I	3-Bipolar Sterile/Single-Use Cables
IEC-NPD	IEC Neutral Plate Sterile/Single-Use
DSEP40	40 Medical Electrodes Assortment Package Sterile/Single-Use
H79	Handpiece Clip
"J" Series	Bipolar Forceps (Item number determined by selection) see page 17 & 18
DIM-92-55	Instruction Manual (USA)
DIM-92-56	Instruction Manual (International)

NOTE: Included accessories may vary by country and/or by special packages.

\*(Specify voltage/country specific plug available  
110-220V, EU, UA, ANZ)

## RADIOFREQUENCY ENERGY SOURCES

### Surgitron® Dual RF™ S5



#### Surgitron® Dual RF™ S5 RF Energy Source

Powered by advanced radiowave technology, the patented Surgitron® Dual RF™ S5 energy source provides unparalleled surgical PRECISION in soft tissue cutting and coagulation. The high frequency of 4.0 MHz minimizes thermal tissue damage along the incision path<sup>1</sup>.

The S5 offers complete VERSATILITY, with more options for use in surgical and aesthetic procedures than other energy-based platforms,<sup>2</sup> and including Pelleve™ accessories, revolutionary tools for the non-ablative treatment of mild to moderate facial wrinkles.

The patented Surgitron® Dual RF™ S5 redefines your surgical results with two distinct frequencies – 4.0 MHz (Monopolar) and 1.7 MHz (Bipolar) – for outstanding precision and control.

The Surgitron® Dual RF™ S5 and the Pelleve® S5 RF energy sources are the only Ellman energy sources compatible with GlideSafe® Wrinkle Treatment Handpieces.

See page 36 for Cart and Accessories  
See page 52 for GlideSafe® Handpieces

#### Surgitron® Dual RF™ S5 – IEC

\*Item # IEC5-S30

Shipped complete with:

\*IEC-PC110 (for 110v) power cord

\*IEC-PC220 (for 220v) power cord

DF-FSC#	Dual Footswitch & Cable
IEC-HP1	IEC Foot-Controlled Handpiece
IEC-3FHPB	IEC 3-Button Fingerswitch Handpiece
IEC-3FHPB/D1	Sterile/Single-Use 3-Button Fingerswitch Handpiece
IEC-BC/I	3-Bipolar Sterile/Single-Use Cables
IEC-NPD	IEC Neutral Plate Sterile/Single-Use
DSEP40	40 Medical Electrodes Assortment Package Sterile/Single-Use
H79	Handpiece Clip
"J" Series	Bipolar Forceps (Item number determined by selection) see page 17 & 18
DIM-50-48	Instruction Manual (USA)
DIM-92-52	Instruction Manual (International)

NOTE: Included accessories may vary by country and/or by special packages.

\*(Specify voltage/country specific plug available  
110-220V, EU, UA, ANZ)

# RADIOFREQUENCY ENERGY SOURCES

## Surgitron® Dual RF™ 120



### Surgitron® Dual RF™ 120 RF Energy Source 120

The patented Surgitron® Dual RF™ generator for those doctors wanting to perform advanced surgical procedures, but are not interested in wrinkle treatment. The high frequency of 4.0 MHz minimizes heat dissipation and thus cellular alteration. The system generates 120 watts of power and operates at 4.0 MHz in monopolar mode and 1.7 MHz in bipolar mode.

## Surgitron® Dual/EMC 90



### Surgitron® Dual/EMC 90 RF Energy Source 90

(INTERNATIONAL ONLY Not available in USA)

The system generates 90 watts and operates at 4.0 MHz in monopolar mode and 1.7 MHz in bipolar mode.

### Surgitron® Dual RF™/120 IEC

\*Item # IEC3A-S30

Shipped complete with:

\*IEC-PC110 (for 110v) power cord

\*IEC-PC220 (for 220v) power cord

- |              |  |
|--------------|--|
| DF-FSC#      | Dual Footswitch & Cable  |
| IEC-HP1      | IEC Foot-Controlled Handpiece  |
| IEC-3FHPB    | IEC 3-Button Fingerswitch Handpiece                                    |
| IEC-3FHPB/D1 | Sterile/Single-Use 3-Button Fingerswitch Handpiece                     |
| IEC-BC/I     | 3-Bipolar Sterile/Single-Use   |
| IEC-NPD      | IEC Neutral Plate, Sterile/Single-Use Cables                           |
| IEC-NPC      | IEC Neutral Plate  |
| DSEP40       | 40 Medical Electrodes Assortment Package Sterile/Single-Use            |
| H79          | Handpiece Clip   |
| "J" Series   | Bipolar Forceps (Item number determined by selection) see page 17 & 18 |
| DIM-92-51    | Instruction Manual (USA)   |
| DIM-92-52    | Instruction Manual (International)                                     |

NOTE: Included accessories may vary by country and/or by special packages.

### Surgitron® Dual/EMC/90

\*Item # IEC3a-S30-90

Shipped complete with:  
with same accessories as above.

*\*(Specify voltage/country specific plug available 110-220V, EU, UA, ANZ)*

## RADIOFREQUENCY ENERGY SOURCES

### AcuSect®



#### AcuSect® RF Energy Source

The AcuSect® radiosurgical energy source delivers advanced radiowave technology providing outstanding surgical control, precision and versatility. The high frequency of 4.0 MHz minimizes heat dissipation, and thus cellular alteration, while cutting and coagulating soft tissues. AcuSect® is the ideal solution for your office-based minor surgical procedures. The system generates 50 watts of power and operates at 4.0 MHz in 3 monopolar modes (Cut/Cut-Coag/Hemo) and 1 bipolar mode (Hemo).

### Surgitron® FFPF EMC



#### Surgitron® FFPF EMC RF Energy Source

The **ellman**® Surgitron® FFPF EMC cuts and coagulates soft tissue using monopolar energy. This system generates 90 watts of power and operates at 3.8 MHz

#### AcuSect®

\*Item # ACS-S50/110

Shipped complete with:

FTSW-2PC	Footswitch 2 Pedal Compact
IEC-1FHPA	One-Button Fingerswitch HP
IEC-HP1	Foot-Controlled Handpiece
IEC-NPC	Neutral Plate
IEC-BC/1	Minor Surgery Bipolar Cable (3pcs)
"J" Series	Bipolar Forceps (Item number determined by selection) see page 17 & 18
DSEP40	Medical Electrode Assortment

NOTE: Included accessories may vary by country and/or by special packages.

#### Surgitron® FFPF EMC S10B

\*Item # EMC 110A (for 110v) Power Cord

\*Item # EMC 220A (for 220v) Power Cord

Shipped complete with:

HP1	Foot-Controlled Handpiece with Locking Chuck
H4	EMC Neutral Plate
*PC	EMC Power Cord
Standard electrode set, reusable (7pcs)	
EMCLI	Operating Manual
H79	Handpiece Clip

NOTE: Included accessories may vary by country and/or by special packages.

*\*(Specify voltage/country specific plug available  
110-220V, EU, UA, ANZ)*

## Neutral Plates

### IEC Neutral Plate

#### IEC-NPC

Reusable, coated  
For Dual RF™, AcuSect™ and RadioLase® Devices  
(1 pc)



### IEC Disposable Neutral Plate-Standard Size

#### IEC-NPD

Single-Use  
For Dual RF™, S5, AcuSect™ and RadioLase® Devices  
(25 pcs)



### IEC Disposable Neutral Plate-Small Size

#### IEC-NPD-S

Single-Use  
For Dual RF™, S5, AcuSect™ and RadioLase® Devices  
(25 pcs)



### EMC Neutral Plate

#### H4

Reusable, coated  
For the EMC Device  
(1 pc)



With the **ellman®** Reusable Neutral Plate, no skin contact required.

The **ellman®** Single-Use Neutral Plate is a sensing, pre-gelled, self-adhering, dispersive pad. The effective electrodes are two aluminum oil conductors, covered by a hydrogel conductive adhesive. The conductive hydrogel provides a low-current density return path from the patient to the RF Device while the two foils provide a means of sensing contact quality.



## Footswitches

### Dual Frequency Footswitch and Cable

#### DF-FSC#

For Surgitron® Dual RF™ and S5 Devices  
(1 pc)



### Single-Action Bipolar Footswitch and Cable

#### DF-FSC/3

For Surgitron® Dual RF™ and S5 Devices  
(1 pc)



### Footswitch, 2 Pedal, Compact

#### FTSW-2PC

For AcuSect™ and RadioLase® Devices  
(1 pc)



### Pneumatic Footswitch

#### SVFSC

For use with Surg-e®-Vac™  
Smoke Evacuation System  
(1 pc)



## RF ACCESSORIES

### Cables

#### Bipolar Cable

##### IEC-JX/B

Reusable

For use with Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices (1 pc)



##### IEC-BC

Sterile/Single-Use

Minor Surgery Bipolar cable

For use with Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices (5 pcs)



##### JX

Reusable

For use with EMC Devices (1 pc)



##### JX/E

Reusable

For use with EMC Device (1 pc)



#### Quick-Connect™ Cable

For use with Suction Tonsil and Suction Adenoid Probes, Disposable Suction Coagulator, Mono Stan RF Forceps, and Rodin™ Micro Surgery handpiece.

##### IEC-SP020

Reusable

For use with Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices (1 pc)



##### SP020

Reusable

For use with EMC Device (1 pc)



#### Snare Cable

For use with Polyp Snare™

##### IEC-H7B

Reusable

For use with Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices (1 pc)



##### H7B

Reusable

For use with EMC Device (1 pc)



#### Lap/Endo Monopolar Cable

##### IEC-UC


Reusable

For use with Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices (1 pc)  
Monopolar cable for Endoscopic instruments



## RF ACCESSORIES

### Surg-e®-Doc™



Surg-e®-Doc™ shown with Surgitron® Dual RF™



#### Surg-e®-Doc™ SDS30

#### The Surg-e®-Doc™ offers the following advantages:

##### Extra Monopolar port

The Surg-e®-Doc™ offers the ability to utilize an extra monopolar port. This added versatility eliminates the need to change monopolar electrodes within the same handpiece during a procedure.

##### Simultaneous activation of Surg-e®-Vac™

The Surg-e®-Doc™ extends the life of the vacuum unit by automatically activating the Surg-e®-Vac™ only when the RF energy source is activated. Moreover, the Surg-e®-Vac™ will continue vacuuming for 5 seconds after the RF energy source is deactivated. This allows for automatic removal of residual plume.

##### Less Clutter

The Surg-e®-Doc™ eliminates the need for separate footswitch activation of Surg-e®-Vac™. This reduces clutter since the only footswitch needed is that of the RF energy source.

## RF ACCESSORIES

# Adapters for Surgitron® EMC

### Universal Fingerswitch Adapter

#### EMCKA

Reusable

For use with EMC Device, handpiece not included  
(1 pc)



### 1-Button Fingerswitch Handpiece with Locking Chuck

#### XK01

Reusable

For use with EMC Universal Fingerswitch Adapter  
(2 pcs)



The ellman® Universal Fingerswitch Adapter plugs into the side of your Surgitron® FFPF EMC. The adaptor eliminates the need for a foot pedal. The standard foot-controlled handpiece is still operational.



EMC Universal Fingerswitch Plug

## RF ACCESSORIES

### For Surgitron® FFPF EMC

#### EMC Steri Caps™

##### EMCH35

Reusable  
Steri Cap™ (3 for large dial and  
3 for small dial) for use with  
EMC only, 3-Blue and 3-Black  
(6 pcs)



#### Bipolar Converter

##### EMCH95A

For use with EMC Device  
(1 pc)



#### Bipolar Converter Steri Caps™

##### H96


Caps for activation switch  
for use with Bipolar Converter  
(3 pcs)



#### Wall Bracket

##### HH

Wall Bracket with hardware.  
For use with EMC only  
Swivel arm and  
swivel plate.  
(1 pc)



Steri Caps™ enable you to control in total sterility with autoclavable protective dial covers.

The Bipolar Converter provides the surgeon the convenience of switching the **ellman® Surgitron® EMC** from the Handpiece in monopolar mode to the Bipolar Forceps mode with the simple flick of a switch. This eliminates the need to plug and unplug the cords during surgery.

The Wall Bracket space saving accessory attaches easily to any vertical surface. The **ellman® Wall Bracket** will support up to 40 lbs. and is ideal for the Surgitron® EMC.

## RF ACCESSORIES

### Handpieces



#### 3-Button Fingerswitch Handpiece with Locking Chuck

##### IEC-X3FHPB

Reusable (2 pcs)

Accepts 1/16" and 3/32" Shaft Electrodes

For Surgitron® Dual RF™ and S5 Devices



#### Sterile 3-Button Fingerswitch Handpiece with Locking Chuck

##### IEC-3FHPB/D

Sterile/Single-Use (10 pcs)

Accepts 1/16" and 3/32" Shaft Electrodes

For Surgitron® Dual RF™ and S5 Devices



#### 3-Button Fingerswitch Blade Handpiece with Locking Chuck

##### IEC-XBHP3

Reusable (2 pcs)

Accepts Sterile/Single-Use Blades (assorted surgical blades including #10, and #15) and 1/16" Electrode

For Surgitron® Dual RF™ and S5 Devices



#### 1-Button Fingerswitch Handpiece with Locking Chuck

##### XK01

Reusable (2 pcs)

Accepts 1/16" and 3/32" Shaft Electrodes

For Surgitron® EMC Device



#### 1-Button Fingerswitch Handpiece with Locking Chuck

##### IEC-X1FHPA

Reusable (2 pcs)

Accepts 1/16" and 3/32" shaft electrodes

One button fingerswitch handpiece for AcuSect™ and RadioLase® Devices

The **ellman**® handpiece is ergonomically designed to fit comfortably in your hand therefore maximizing productivity by reducing operator fatigue and discomfort.

## RF ACCESSORIES

### Handpieces



#### 3" Length Handpiece with Patented Locking Chuck

##### IEC-XLP1

Reusable

For Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices

3" Length, Accepts 1/16" and 3/32" shaft, for Laparoscopy and Micro-Larynx probes (2 pcs)



#### microInsulated Needle Handpiece with Locking Chuck

IEC-XH136 – For Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices (2 pcs)

XH136 – For Surgitron® EMC Device (2 pcs)

Reusable (1 pc). Smaller orifice for insertion of **ellman®**

microInsulated needles only (Cat. No. H137 & H1375)

Included in Cosmetic Treatment package (see page 51)



#### Blade Handpiece with Locking Chuck

IEC-H15 – Accepts 1/16" Shaft. For Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices

H15 – Accepts 1/16" Shaft. For Surgitron® EMC Device

IEC-QH15 – Accepts 3/32" Shaft. For Surgitron® Dual RF

QH15 – Accepts 3/32" Shaft. For Surgitron® EMC

Reusable (1 pcs). Foot Pedal activation

For use with assorted surgical blades including #10, and #15



#### Foot-Controlled Handpiece with Locking Chuck

IEC-XHP1 – For Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices

XHP1 – For Surgitron® EMC Device

Reusable (2 pcs). Accepts 1/16" and 3/32" shaft



#### Rodin® Microsurgery Handpiece

XRHP – Length (3.895") 98.93mm, Width (.460") 11.68mm

Reusable (2 pcs). To be used with IEC Quick-Connect™ Cable

Accepts 1/16" Shaft. For Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices

(See page 11 for Quick-Connect™ Cable, Cat. No. IEC-SP020)

(See page 33 for Rodin™ Microsurgery ACe-Tip™ Electrode Set, Cat. No. RACE7)

##### RODIN® 1

Rodin® RF Microsurgery Set

One RHP Rodin® Microsurgery Handpiece, one IEC-SP020 Quick-Connect™ Cable, one RACE7 Rodin® Microsurgery ACe-Tip™ Set, and instructions for use.



Surgitron® EMC  
(Monopolar)



Surgitron® Dual RF™, S5 and  
RadioLase® (Monopolar)

Separate plugs are used in accordance with the corresponding device, the Surgitron® Dual RF™, S5 RadioLase® and the Surgitron® EMC.

## RF ACCESSORIES

### Bipolar Forceps



**J1** Length 9.5cm, (3.7"), Diameter 0.4mm, Straight Tip



**J1B** Length 9.5cm, (3.7"), Diameter 0.4mm, Bent Tip



**J2** Length 9.5cm, (3.7"), Diameter 0.3mm, Curved Flat/Angled Tip



**J3** Length 7.8cm, (3"), Diameter 0.4mm, Angled Tip



**J4** Length 7.8cm, (3"), Diameter 0.3mm, Straight Tip




**J5** Length 9.2cm, (3.6"), Diameter 0.3mm, Bent Tip



**J8** Length 16.3cm, (6.4"), Diameter 1.0mm, Straight Tip

*Note: Tip dimensions are approximate.*

ellman® Bipolar Forceps provide clean wet-field coagulation.





## RF ACCESSORIES

### Bipolar Forceps



**J9** Length 16.2cm, (6.4"), Diameter 1.0mm, Straight Tip




**J10** Length 16.2cm, (6.4"), Diameter 2.0mm, Straight Tip



**J11** Length 12.2cm, (4.8"), Diameter 0.4mm, Straight Tip



**J12** Length 10.9cm, (4.3"), Diameter 1.0mm, Straight Tip



*Magnified view*



**J14** Length 10.8cm, (4.3"), Diameter 0.7mm, Straight Tip, Insulated, Inner 1mm Exposed



**J19** Length 13.6cm, (5.4"), Diameter 2.0mm, Straight Tip



EMC Bipolar Cord  
(see page 8)



Surgitron® Dual RF™, S5,  
and RadioLase® Bipolar  
Cord (see page 8)

*Note: Tip dimensions are approximate.*

## RF ACCESSORIES


### Bayonet Bipolar Forceps



- J7** Length 17.3cm, (6.8"), Diameter 1.0mm, Bayonet, Flat Tip
- J7U** Length 17.3cm, (6.8"), Diameter 1.0mm, Bayonet, 45° Up, Flat Tip
- J7D** Length 17.3cm, (6.8"), Diameter 1.0mm, Bayonet, 45° Down Flat Tip



- J13** Length 15.6cm, (6.1"), Diameter 1.0mm, Bayonet, non-stick epistaxis, Serrated Tip



2 Magnified views of J17 Tips (single external tip insulated)



- J17** Length 17.9cm, (7"), Diameter 1.0mm, Bayonet, single external tip insulated



- J18** Length 16.9cm, (6.0"), Diameter 0.5mm, Bayonet




- J20** Length 16.6cm, (6.5"), Diameter 2.0mm, Bayonet



- J21** Length 19.7cm, (7.8"), Diameter 1.0mm, Bayonet

Note: Tip dimensions are approximate.




ellman® Bayonet Bipolar Forceps enhance access to the surgical environment for increased visibility during radiosurgical procedures.

## RF ACCESSORIES

# ACe-Tip™ Non-Stick Forceps

Featuring Advanced Composition Alloy "Non-Stick", Low Temperature




Magnified view

**ACBF-010**



Length 8.9cm, (3.5"), Diameter 0.5mm, Straight Tip




Magnified view

**ACBF-011**



Length 8.9cm, (3.5"), Diameter 0.5mm, Bent Tip



Magnified view

**ACBF-012**



Length 11.4cm, (4.5"), Diameter 0.5mm, Straight Tip




Magnified view

**ACBF-013**



Length 14.0cm, (5.5"), Diameter 0.5mm, Straight Tip



Magnified view

**ACBF-014**



Length 15.9cm, (6.25"), Diameter 0.5mm, Straight Tip

ACe-Tip™ Technology Advantages:\*

- Minimal adherence of tissue
- Low absorption
- Tissue preservation




Note: Tip dimensions are approximate.

\*Data on file.  
FDA Submission Packet  
510 (k) K071343

## RF ACCESSORIES

# ACe-Tip™ Non-Stick Forceps


Featuring Advanced Composition Alloy "Non-Stick", Low Temperature



Magnified view




**ACBF-015** Length 17.8cm, (7.0"), Diameter 0.7mm, Straight Tip



Magnified view




**ACBF-016** Length 17.8cm, (7.0"), Diameter 1.2mm, Straight Tip



Magnified view




**ACBF-017** Length 17.8cm, (7.0"), Diameter 1.5mm, Straight Tip



Magnified view



**ACBF-021** Length 16.5cm, (6.5"), Diameter 1.0mm, Bayonet, Serrated Tip



Magnified view





**ACBF-022** Length 18.4cm, (7.25"), Diameter 1.0mm, Bayonet Tip

Note: Tip dimensions are approximate.



ACe-Tip™ Non-Stick Bipolar Forceps clinical photos

# Electrodes



Proximal Shaft Diameter

- **Super Fine** - Used when minimal tissue alteration is desired (Diam. 0.005")
- **Fine** - Used when less tissue alteration is desired (Diam. 0.007")
- **Regular** - Used to produce more coagulation (Diam. 0.009")

Proximal shaft diameter is available in 3/32" or 1/16" (2.4mm or 1.6mm) to accommodate standard handpiece connection.

## ABOUT ellman® Electrodes:

The insulated shaft of most electrodes can be bent or contoured for all surgical procedures.

(Note: Empire microIncision™ Sterile Needles are not bendable)

- Yellow** electrode tips are Sterile/Single-Use disposables
  - Blue** electrode tips are re-usable
  - Orange** electrode tips are re-usable
  - Purple** electrode tips are re-usable
  - White** electrode tips are a mixture of re-usable and disposable.
- See product catalog for details

## INFORMATION Regarding Ordering Electrodes:

### Code To Electrode Suffixes:

- B- Bendable
- D- Disposable (Sterile/Single-Use)

### Code To Electrode Prefixes:

- T- Package of (2 pcs)
- X- Package of (5 pcs) (Not all items available in 5-packs)

Most electrodes are available in 1/16" or 3/32" shaft sizes. Use "Q" as a prefix when ordering 3/32" shaft size, i.e. QTA8B. Longer electrode shaft sizes may be available. Custom sizes may be requested. (Minimum quantity of 10 each) Contact **ellman's** sales representatives for more details.

## RF ELECTRODES

# Sterile/Single-Use Electrodes

### Medical Electrode Set

#### DSEP40

Sterile/Single-Use

Assortment of 8 styles,











RF electrodes, available in 1/16" Shaft Only (40 pcs per pack)

Includes 5 of each electrode:

A2D, A8D, B1D, B2D, C3D, D8D, E3D, F1D

### Sterile/Single-Use Electrodes

Available in 1/16" Shaft Only (25 pcs per pack)

	<b>A2D</b>	Fine Wire Electrode 3/8" Length
	<b>A3D/OS</b>	Needle Electrode 3/4" Length
	<b>A8D</b>	Vari-Tip™ Wire Electrode Adjustable cutting wire
	<b>B1D</b>	Round Loop Electrode 1/4" Dia.
	<b>B2D</b>	Round Loop Electrode 3/8" Dia.
	<b>C3D</b>	Diamond Loop Electrode 3/16" Dia.
	<b>D8D</b>	Ball Electrode 2.3 mm
	<b>E3D</b>	Scalpel Electrode 1" Length
	<b>E4D</b>	Scalpel Electrode 1/2" Length
	<b>F1D</b>	Broad Needle Electrode
	<b>133D</b>	Pin Electrode 1/8" Length


The **ellman**® Sterile/Single-Use RF electrode eliminates the risk of cross contamination as well as ensuring consistent performance and patient confidence.

## RF ELECTRODES

# Empire® microIncision™ Needles

### Empire® microIncision™ Needle Electrodes

Sterile/Single-Use, available in 1/16" or 3/32" (2 per pack)  
Use "Q" as a prefix when ordering 3/32" shaft size



Magnified view for all Empire microIncision™  
\*Except TEE328 5mm



**TEE301**  
Length 3cm, straight



**TEE302**  
Length 4cm, straight



**TEE303**  
Length 5cm, straight



**TEE304**  
Length 2cm, 90° angle shaft




**TEE305**  
Length 3cm, 45° angle shaft



**TEE306**  
Length 4cm, 45° angle tip



**TEE307**  
Length 3cm, 45° angle tip



**TEE308** Length 9cm, straight



**TEE309** Length 12cm, straight



**TEE310** Length 14cm, straight



**TEE311** Length 17cm, straight



**TEE312** Length 9cm, 45° angle tip



**TEE313** Length 12cm, 45° angle tip



**TEE314** Length 14cm, 45° angle tip



**TEE315** Length 17cm, 45° angle tip

The ellman® Empire® microIncision™ Needle Electrodes deliver focused High Frequency Radiowave energy.

Empire® microIncision™ Needle Electrodes are used for precise cutting and coagulation during radiosurgical procedures.

Proximal shaft diameter is available in 3/32" or 1/16" (2.4mm or 1.6mm) to accommodate standard handpiece connection.


Empire® microIncision™ Needle Electrodes are supplied in individual sterile packages of two, are Single-Use and should not be re-sterilized.

# RF ELECTRODES


## Empire® microIncision™ Needles

### Empire® microIncision™ Needle Electrodes

Sterile/Single-Use, available in 1/16" or 3/32" (2 per pack)  
Use "Q" as a prefix when ordering 3/32" shaft size



Magnified view for all Empire microIncision™  
\*Except TEE328 5mm



Note:  
1 inch=2.54cm



Upper Lid Blepharoplasty





## RF REUSABLE ELECTRODES


### Reusable Electrodes

#### Needle Electrodes\*

Reusable

1/16" shaft size or 3/32" (2 pcs)

Use "Q" as a prefix when ordering 3/32" shaft size



**TA1B** Length 3/8", Super Fine Wire

**TA2B** Length 3/8", Fine Wire

**TA9B** Length 3/8", Regular Wire

**TA3B** Length 3/8", Regular Needle

**TF1B** Length 1/2", Broad Needle

**TA8B** Vari-Tip™ Microdissection™ Needle (comes with additional wire and has an adjustable depth)

**T133B** Pin Electrode  
1/8" Length

#### Round Loop Electrodes\*

Reusable

1/16" shaft size or 3/32" (2 pcs)

Use "Q" as a prefix when ordering 3/32" shaft size



**TB9B** 5/32" Dia. Round Loop, Fine Wire

**TB1B** 1/4" Dia. Round Loop, Fine Wire

**TB4B** 1/4" Dia. Round Loop, Regular Wire

**TB9B** 19/64" Dia. Round Loop, Fine Wire

**TB10B** 19/64" Dia. Round Loop, Regular Wire

**TB2B** 3/8" Dia. Round Loop, Fine Wire

**TB5B** 3/8" Dia. Round Loop, Regular Wire

**TB3B** 1/2" Dia. Round Loop, Fine Wire

**TB6B** 1/2" Dia. Round Loop, Regular Wire

Needle Electrodes are commonly used for incisions and excisions in precise surgical procedures.

#### Choice of Wire Gauge

- Super Fine - Used when minimal tissue alteration is desired. (0.004")
- Fine - Used when less tissue alteration is desired. (0.007")
- Regular - Used to produce more coagulation. (0.009")

Round Loop Electrodes are commonly used for shaving lesions, contouring tissue and obtaining biopsy specimens.

\*Electrodes are displayed in actual size.

## RF REUSABLE ELECTRODES

### Reusable Electrodes

#### Diamond Loop Electrodes\*

Reusable

1/16" shaft size or 3/32" (2 pcs)

Use "Q" as a prefix when ordering 3/32" shaft size



**TC1B** 1/8" Diamond Loop, Fine Wire  
**TC4B** 1/8" Diamond Loop, Regular Wire



**TC3B** 3/16" Diamond Loop, Fine Wire  
**TC6B** 3/16" Diamond Loop, Regular Wire



**TC17B** 1/4" Diamond Loop, Fine Wire  
**TC18B** 1/4" Diamond Loop, Regular Wire



**TC19B** 5/16" Diamond Loop, Fine Wire  
**TC20B** 5/16" Diamond Loop, Regular Wire



**TC21B** 7/16" Diamond Loop, Fine Wire  
**TC22B** 7/16" Diamond Loop, Regular Wire

#### Triangle Loop Electrodes\*

Reusable

1/16" shaft size or 3/32" (2 pcs)

Use "Q" as a prefix when ordering 3/32" shaft size



**TC9B** 5/32" Triangle Loop, Fine Wire  
**TC10B** 5/32" Triangle Loop, Regular Wire



**TC7B** 1/4" Triangle Loop, Fine Wire  
**TC8B** 1/4" Triangle Loop, Regular Wire



**TC11B** 19/64" Triangle Loop, Fine Wire  
**TC12B** 19/64" Triangle Loop, Regular Wire



**TC13B** 3/8" Triangle Loop, Fine Wire  
**TC14B** 3/8" Triangle Loop, Regular Wire



**TC15B** 1/2" Triangle Loop, Fine Wire  
**TC16B** 1/2" Triangle Loop, Regular Wire

*\*Electrodes are displayed in actual size.*

Diamond Loop Electrodes are commonly used for one-stroke elliptical incisions.

Triangle Loop Electrodes are commonly used for shaving lesions and contouring tissue.

# RF REUSABLE ELECTRODES

## Reusable Electrodes

### Ball Electrodes\*

Reusable

1/16" shaft size or 3/32" (2 pcs)

Use "Q" as a prefix when ordering 3/32" shaft size



**TD3B** 2mm Ball



**TD8B** 2.36mm Ball



**TD9B** 3.17mm Ball



**TD10B** 4.34mm Ball



**TD11B** 4.75mm Ball

### Oval Loop Electrodes\*

Reusable

1/16" shaft size or 3/32" (2 pcs)

Use "Q" as a prefix when ordering 3/32" shaft size



**TP1B** 5/32" Oval Loop, Fine Wire

**TP2B** 5/32" Oval Loop, Regular Wire



**TP3B** 1/4" Oval Loop, Fine Wire

**TP4B** 1/4" Oval Loop, Regular Wire



**TP5B** 19/64" Oval Loop, Fine Wire

**TP6B** 19/64" Oval Loop, Regular Wire



**TP7B** 3/8" Oval Loop, Fine Wire

**TP8B** 3/8" Oval Loop, Regular Wire



**TP9B** 1/2" Oval Loop, Fine Wire

**TP10B** 1/2" Oval Loop, Regular Wire

*\*Electrodes are displayed in actual size.*

Ball Electrodes are commonly used for coagulation.

Oval Loop Electrodes are commonly used for shaving lesions and contouring tissue.

## RF REUSABLE ELECTRODES

### Reusable Electrodes

#### Scalpel Electrode\*

Reusable

1/16" shaft size or 3/32" (2 pcs)

Use "Q" as a prefix when ordering 3/32" shaft size



**TE1B** 3/16" Scalpel, 45° Angle

**TE2B** 3/8" Scalpel




**TE3B** 1" Scalpel

#### Empire® MicroTip Electrodes\*

Reusable

2mm exposed tip (2 pcs, one of each)



Magnified view



**TEE227** Empire MicroTip Needles  
one .010" wire, one .020" wire  
Insulated Coated (clear teflon)  
Needle Set; 2mm exposed tips

#### Insulated Needle Electrodes™\*

Reusable, 1/2mm exposed tip



Magnified view



**D7** Insulated Coated Needle Set  
(3 pcs)

**D6A** Fine Insulated Coated Needle  
.004" Super Fine, White, (1 pc)

**D6B** Fine Insulated Coated Needle  
.007" Fine, Purple, (1 pc)

**D6C** Fine Insulated Coated Needle  
.009" Regular, Orange, (1 pc)

#### Rhinophyma Electrode Set

**EE234** Set of 3

Reusable



**EE233** 19/64" Triangle Loop, (1 pc)

**EE232** 1/8" Triangle Loop, (1 pc)

**EE231** 1/2" Triangle Loop, (1 pc)

\*Electrodes are displayed in actual size.

Scalpel Electrodes are commonly used for incisions and excision of tissue. The blade shape provides broader coagulation than a needle electrode.

Empire® MicroTip Needles are tapered and have a pinpoint design which produces micro-smooth cutting and coagulation while creating less tissue alteration.

Insulated Needle Electrodes are used for the treatment of Telangiectasia and for epilation.



Rhinophyma

## RF REUSABLE ELECTRODES

### Reusable Electrodes

#### Javate Endoscopic DCR Electrodes\*


R6 Javate Endoscopic DCR Set of 7 Assorted Electrodes



\*Electrodes are displayed in actual size.

#### Mucotome Electrodes\*

**H140** Mucotome Electrode Set of 1/16" Shaft  
Reusable  
Set of 3 electrodes, includes H141, H142 & H143  
Used for excision of mucosal strip



\*Electrodes are displayed in actual size.

## RF REUSABLE ELECTRODES\*

# ACe-Tip™ Advanced Composition Alloy

**TNAEE286** HLTZ Tonsillotomy Set of 3 ACe-Tip™ electrodes  
Includes one each of: TNAEE284, TNAEE285, TNAEE287



**TNAEE284** HLTZ Tonsillotomy, ACe-Tip™,  
15mm Loop, .010 wire, 1/16" shaft (2 pcs)



**TNAEE285** HLTZ Tonsillotomy, ACe-Tip™,  
12mm Loop, .010 wire, 1/16" shaft (2 pcs)



**TNAEE287** 1cm Needle, 3" Curved Sleeve ACe-Tip™, 1/16" shaft (2 pcs)



**TNAA9B** 3/8" Length  
ACe-Tip™ Regular Wire 1/16" shaft (2 pcs)



**TNAD3B** 2mm Coagulating Ball  
ACe-Tip™ 1/16" shaft (2 pcs)



**TNATB3B** 3mm Tapered Ball  
ACe-Tip™ 1/16" shaft (2 pcs)



**TNAD13B** 5mm Tapered Ball  
ACe-Tip™ 1/16" shaft (2 pcs)



**TNAB1B** 1/4" Round Loop  
ACe-Tip™ Fine Wire 1/16" shaft (2 pcs)



**TNAB4B** 1/4" Round Loop  
ACe-Tip™ Regular Wire 1/16" shaft (2 pcs)



**TNAB2B** 3/8" Round Loop  
ACe-Tip™ Fine Wire 1/16" shaft (2 pcs)



**TNAB5B** 3/8" Round Loop  
ACe-Tip™ Regular Wire 1/16" shaft (2 pcs)



**TNAA8B** Vari-Tip™  
ACe-Tip™ 1/16" shaft (2 pcs)  
(comes with additional wire and has  
an adjustable depth)



**TNAEE305** Empire microIncision™  
Needle ACe-Tip™ 1/16" shaft (2 pcs)



**TNAEE330** Chedly Puctal Occlusion (CPO) Electrodes  
Reusable set of two ACe-Tip™ Electrodes

ACe-Tip™ Technology  
Advantages:\*

- Minimal adherence of tissue
- Low absorption
- Tissue preservation

The **ellman® ACe-Tip™** electrodes are designed to reduce resistance/impedance which causes less undesired lateral heat compared to tungsten steel electrodes.

A 45% reduction in the zone of hyalinization has been demonstrated.†

**ACe-Tip™** electrodes glide smoothly through tissues and are excellent for sculpting and tissue shaping.

\*Data on file.  
FDA Submission Packet  
510 (k) K071343  
†Porcine skin.

# RF REUSABLE ELECTRODES

## Electrodes Sets

Note: (See pg. 33 for Disposable Sets)

### Rodin® Microsurgery ACe-Tip™ Electrode Set

#### RACE7

Reusable

1.5" shaft length, 1/16" dia., Bendable Assortment (7 pcs)

Includes one each of:

TREE305, TRA2B, TRA8B, TRD3B, TRBBB, TRC3B, TRB1B



### \*Standard Electrode Set

#### S10B

Reusable


1/16" shaft size or 3/32" Use "Q" as a prefix when ordering 3/32" shaft size

Assortment (7 pcs) Includes one each of: C7B, B1B, C3B, A3B, D8B, F1B, A8B

\*Also available:

S12B include 1 of each electrode (F1B A2B A3B C3B D8 BB B1 A8)

S13B include 1 of each electrode (F1B A2B A3B C3B D8B B2B A8B D8B/4)



### Assorted Needle Electrode Set

#### XA (Formerly XAFB)

Includes one each of: A1, A2, A9, A3, F1 (5 pcs)



### Assorted Round Loop Electrode Set

#### XB (Formerly XBFB)

Fine Wire

Includes one each of: B3, B2, B9, B1, BB

#### XBRB

Regular Wire

Includes one each of: B6, B5, B10, B4, BB (5 pcs)



## Electrodes Sets

### Assorted Diamond Loop Electrode Set

**XC** (Formerly XCFB)

Fine Wire

Includes one each of: C21, C19, C17, C3, C1

**XCRB** Regular Wire

Includes one each of: C22, C20, C18, C6, C4  
(5 pcs)



### Assorted Ball Electrode Set

**XD**

Includes one each of: D11, D10, D9, D8, D3  
(5 pcs)



### Assorted Oval Loop Electrode Set

**XP** (Formerly XPFB)

Fine Wire

Includes one each of: P9, P7, P5, P3, P1

**XPRB**

Regular Wire

Includes one each of: P10, P8, P6, P4, P2  
(5 pcs)



### Assorted Triangle Loops Electrode Set

**XT** (Formerly XTFB)

Fine Wire

Includes one each of: C15, C13, C11, C9, C7

**XTRB**

Regular Wire

Includes one each of: C16, C14, C12, C10, C8  
(5 pcs)





## Electrodes Accessories


### Electrode Protector Stand™

#### H66

Electrode Protector Stand™  
For regular 2" standard electrodes  
Holds 12 electrodes, 6 1/16" x 6 3/32"  
(1 pc)

#### H66A

Electrode Protector Stand™  
For large 4" long electrodes  
Holds 12 electrodes, 6 1/16" x 6 3/32"  
(1 pc)



The **ellman**® Electrode Protector Stand™ protects your electrodes from damage and breakage during the sterilization process.

The **ellman**® Electrode Protector Stand™ will stand on any flat surface for easy identification and access to each electrode.

### Electrode Block™

#### H1

Electrode Block™  
Holds 18, 1/16" Electrodes  
(1 pc)

#### H1A

Electrode Block™  
Holds 9, 1/16" Electrodes and  
9, 3/32" Electrodes  
(1 pc)

#### QH1

Electrode Block™  
Holds 18, 3/32" Electrodes  
(1 pc)



## EDUCATIONAL MATERIALS

### Educational Accessories

#### Patient Education Brochures



Pellevé®  
Patient Ed  
CC09107  
(50 pcs)  
(8 Page)



Cosmetic  
Eye Surgery  
CC09076  
(50 pcs)  
(4 Page)



Facial Veins  
CC09116  
(50 pcs)  
(4 Page)




Remove  
Unsightly Skin  
CC09025  
(50 pcs)  
(4 Page)




Treatment  
of Snoring  
CC10021  
(50 pcs)  
(4 Page)

#### Pellevé® Office Pull Up Banners (39.4" Wide X 79" Tall)



Pellevé® Pull Up  
CC-PU-13044-1



Pellevé® Pull Up  
CC-PU-13044-2



Pellevé® Pull Up  
CC-PU-13046



Pellevé® Pull Up  
CC-PU-13043

#### Pellevé® Marketing Kits, Pellevé® Before & After Books and Poster



Pellevé® Marking Kit  
CC-PMK-13081 (US version)  
and  
Pellevé® Marking Kit  
CC-PMK-13082 (OUS version)



Pellevé® Before & After Book  
CC-BA-13065 (US version)  
and  
Pellevé® Before & After Book  
CC-BA-13066 (OUS version)



Pellevé® Poster  
(17" Wide X 26" Tall)  
CC-PO-13090

## SMOKE EVACUATION SYSTEM

### Device/Accessories



#### Cart

##### H157

The elegantly designed H157 Cart includes 2 shelves for accessories, a gooseneck flexible arm, and a convenient front handle for micro positioning. Four rugged caster wheels ensure easy mobility from room to room.

(Shown with Pellevé® S5 Generator, Surg-e®-Vac™, and accessories.-Not included)

NOTE: H157 Cart not compatible with AcuSect, RadioLase or EMC generators.



#### Surg-e®-Vac™

SVD110 Surg-e®-Vac™ (for 110v countries)

SVD220EU Surg-e®-Vac™ (for 220v countries)



#### SurgiCart™

##### H156

SurgiCart™ III with extended base, instrument tray with gooseneck arm, adjustable height. (Shown with Surgitron EMC RF Generator and accessories – Not included)



#### Vac Assist Stand

##### W133

The Surg-e®-Vac™ Smoke Evacuation System has been designed with a high suction, high flow rate centrifugal action pump. The ultra-quiet motor is used to draw the surgical smoke from the surgical site through the vacuum tubing and into the Quad Filter™ where the surgical smoke is processed by a series of filters.

NOTE: H156 not compatible with S5 generators.

# SMOKE EVACUATION SYSTEM

## Accessories

### Surg-e<sup>®</sup>-Vac™ Accessories

The accessories below are used only for Surg-e<sup>®</sup>-Vac™

Surg-e<sup>®</sup>-Vac™  
Quadration  
Filter  
**SVF1** (3 pcs)  
**SVXF1** (12 pcs)



Pneumatic  
Footswitch  
**SVFSC**  
(10-1/2 Ft. Cable)  
(1 pc)



### For both Surg-e<sup>®</sup>-Vac™ and Vapor-Vac II™ Accessories

Plastic Hose **VV148** for  
Surg-e<sup>®</sup>-Vac™ or  
**VV127** for Vapor-Vac II™  
(includes **VV121** Adapter)



Speculum Tubing  
Reducing Package  
**VV130** includes  
(2 pcs) VV128  
(2 pcs) VV129



Saf-T-Wand  
**VV140**  
(10 pcs)



Speculum Tubing  
Reducer Fitting  
**VV129**  
(2 pcs)



Speculum Tubing  
**VV128**  
1/4" Autoclavable  
(2 pcs)



External Tube  
**VV121**  
(3 pcs)



### Vapor-Vac II™ Accessories

These accessories below are used only for Vapor-Vac II™

Charcoal  
Filter  
**VC123**  
(2 pcs)



External  
Filter  
**VF124**  
(10 pcs)



Saf-T-Wand  
Filter Set  
**VV146**  
(25 pcs)



Disposable  
External Filter  
**VV139**  
(25 pcs)



Vapor-Vac™  
Wand Clip  
**VV131**  
(1 pc)



## MULTI-SPECIALTY ACCESSORIES

### Accessories

#### Medi-Frig™

Portable Cryosurgery Skin Refrigerant

##### H11B

1 280g. can, 10 Straw Applicators

##### XH11B

6 cans, 60 Straw Applicators

##### H11BCS


25 cans, 250 Straw Applicators



#### Wipe-Its™

##### H19

Pressure sensitive sandpaper pads used to clean radiosurgical electrode tips (4 pcs)



Medi-Frig™ is a portable, hand-held, cryosurgical spray unit containing tetrafluoroethane (-54°C).

The ellman® cryosurgical spray is safe, storable, easily transportable and cost-effective compared to traditional liquid nitrogen. An added advantage is that it is nonflammable and can be used in conjunction with radiosurgical, electro-surgical and laser procedures.

Wipe-Its™ are easy to use, for effortless removal of tissue from radiosurgery tips.

## MULTI-SPECIALTY ACCESSORIES

# Otorhinolaryngology



### 3" Length Handpiece with Patented Locking Chuck

#### IEC-XLP1

Reusable

For Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices

3" Length, Accepts 1/16" and 3/32" shaft,  
for Laparoscopy and Micro-Larynx probes (2 pcs)

#### XLP1

Reusable

For the EMC Device

3" Length, Accepts 1/16" and 3/32" shaft,  
for Laparoscopy and Micro-Larynx probes (2 pcs)


### Micro-Larynx™ RF Probes

#### IEC-EE275A

Reusable

For Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices

1/16" shaft, 240mm long, (3 pcs); includes IEC-LP1, 3 inch Handpiece




Magnified view

#### Loop

#### EE276

1/16" shaft, 240mm long  
(1 pc)



Magnified view

#### Needle

#### EE277

1/16" shaft, 240mm long  
(1 pc)



Magnified view


#### Ball

#### EE278A

1/16" shaft, 240mm long  
(1 pc)

EE275A for EMC Device

1/16" shaft, 240mm long (3pcs); includes LP1, 3 inch handpiece



The Patented Micro-Larynx™ Probe allows quick and efficient coagulation, and can be used for Granulomas, Papillomatosis, Cyst Biopsies, Vocal Cord Polyps, Posterior Cordectomy, Glottic and Sub-glottic Angiomas, Laryngeal Tumor and Laryngeal Biopsies.

## MULTI-SPECIALTY ACCESSORIES

# Otorhinolaryngology

### OTO-RAM™ Radiofrequency Assisted Myringotomy Set

#### IEC-EE600

Reusable

For Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices

Two 4" tubes, 1.5mm and 2.0mm and one Myringotomy Handpiece

#### IEC-H604


Reusable

For Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices

RF Assisted Myringotomy Handpiece (1 pc)

**EE600** and **H604** and for EMC Devices

The OTO-RAM™ allows for an effective treatment where office or clinical procedures take place in only a few minutes. Costs for OR Surgery and extensive use of antibiotics and general anesthesia are greatly reduced. The OTO-RAM™ is cost effective compared to laser assisted myringotomy.



2mm hole



2mm hole  
Tympanic membrane



OTO-Ram  
Probe Tip

### OTO-RAM™ Probes

#### EE601

Reusable

1.5mm Orifice

(1 pc)



#### EE602

Reusable

2.0mm Orifice

(1 pc)



#### TEE230

Reusable

Insulated 3.8cm and exposed 5mm

(2 pcs)




## MULTI-SPECIALTY ACCESSORIES

# Otorhinolaryngology

### Clear-Vu® Bayonet Electrodes

Sterile/Single-Use, (13cm Long Shaft), (1 pc)  
1/16" shaft size, 3/32" shaft size available, order with a "Q" prefix



### Bayonet RF Turbinate Volume Reduction Electrode™

Reusable  
Bipolar Turbinate Probe and cord (1 pc)  
Tips Insulated ~1.9cm and Exposed ~2.4cm

#### IEC-16D

For Surgitron® Dual RF™, S5, AcuSect™ and Radiolase® Devices

#### 16/JXE

For EMC Device



The bayonet design of Clear-Vu® Electrodes provides access to the surgical environment for precise tissue interaction while maintaining a 'clear view' during the procedure.

The assorted tip configurations allows for precise surgical treatment.



The Bayonet Turbinate Electrode and Bipolar Handpiece design includes a pencil grip for easy handling with a bayonet needle for easy intranasal visualization during surgery.



MULTI-SPECIALTY ACCESSORIES

Otorhinolaryngology

**RAUP Electrode™**

**H81A1**


Sterile/Single-Use  
RAUP Radiosurgically Assisted  
Uvulopalatoplasty  
(2 pcs)



**Sub-Mucosal VTR (UPP) Electrode**

**TEE229A**


Sterile/Single-Use  
For volumetric reduction  
of redundant tissue  
1cm insulated, 1 cm exposed  
(2 pcs)



**Tongue Base Reduction Electrode™**

**TEE605**

Sterile/Single-Use,  
For volumetric reduction  
of redundant tissue  
(2 pcs)



**Adenoid RF Electrode™**

**TEE228**

Reusable  
1/4" Triangle, 4" Length, Teflon Insulated  
(2 pcs)




**HLTZ Tonsillotomy Electrode™**

**TEE284**

Reusable  
.010 Wire, 15mm Loop  
(2 pcs)



Uvulopalatoplasty (RAUP)



Submucosal Stiffening



Tongue Base Procedure

## MULTI-SPECIALTY ACCESSORIES

### Otorhinolaryngology




#### Suction Adenoid Probes

**IEC-H85**

Reusable

Set of 3 Probes, Quick-Connect™ Cable, and Cleaning Brush  
(See pg. 11 for Quick-Connect™ Cable)



**IEC-H86** Small Probe

9mm with Quick-Connect™ Cable, (1 pc)



**IEC-H87** Medium Probe

15mm with Quick-Connect™ Cable, (1 pc)



**IEC-H88** Large Probe

19mm with Quick-Connect™ Cable, (1 pc)


#### Cleaning Brush for Suction Probe

**H89**

(3 pcs)



*Magnified view*



#### Suction Tonsillectomy Probe™ and Quick-Connect™ Cable (See pg. 11 for Quick-Connect™ Cable)

**IEC-H83/SP**

Reusable

For Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices

**H83/SP**

For EMC Device



#### Bipolar Tonsil Reduction Probe™ and Quick-Connect™ Cable (See pg. 11 for Quick-Connect™ Cable)

**IEC-H84**

Reusable

For Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices

**H84**

For EMC Device



# MULTI-SPECIALTY ACCESSORIES

## Otorhinolaryngology


### Suction Coagulator™

**HD41**

Sterile/Single-Use

For use with Quick-Connect™ Cable, (12 pcs)

(see page 11 for Quick-Connect™ Cable)



Magnified view



### Angled Suction Coagulator™

**HD42**

Sterile/Single-Use

For use with Quick-Connect™ Cable, (12 pcs)

(see page 11 for Quick-Connect™ Cable)



Magnified view



### Suction Coagulation Kit

Reusable

**IEC-H40**

Shipped with three 3" and three 6" tubes

For Surgitron® Dual RF™, S5, AcuSect™ and

Radiolase® 3 Devices

Includes 1/16", 3/32" and 1/8" Orifice sizes

**H40**

Shipped with three 3" and three 6" tubes

For EMC Device. Includes 1/16", 3/32"

and 1/8" Orifice sizes



Stylus Round Wire

**H44** Suction Tube 6" Long, 1/16" Orifice

**H45** Suction Tube 6" Long, 3/32" Orifice

**H46** Suction Tube 6" Long, 1/8" Orifice

**H47** Suction Tube 3-3/4" Long, 1/16" Orifice

**H48** Suction Tube 3-3/4" Long, 3/32" Orifice

**H49** Suction Tube 3-3/4" Long, 1/8" Orifice

## MULTI-SPECIALTY ACCESSORIES

# Otorhinolaryngology

### RF Assisted Tonsillotomy (RAT) Ball Electrodes™

**EE264** Set of 3

Reusable

**TEE261** 2.0mm Ball 4" long (2 pcs)



Magnified view

**TEE262** 2.36mm Ball 4" long (2 pcs)



Magnified view

**TEE263** 3.17mm Ball 4" long (2 pcs)




Magnified view

### Cryptolysis Electrode

**TE1022B**

Reusable

(2 pcs)



An RF cryptolysis probe comprises a generally elongated insulated structure leading to a distal end that is angled downward and terminates in a narrow tip that is exposed. The exposed tip is inserted into tonsillar crypts and activated.

### Polyp Snare™ System for Nasal Polyps

**IEC-H301**

Reusable

For Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices with Snare Cable and 3 wires

**H301**

For EMC Device with Snare Cable and 3 wires

**H7A** Snare Wires


6 wires

**H7B** Snare Cable


For EMC Device (1 pc)

**IEC-H7B** Snare Cable

For Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices (1 pc)



The Ball Tonsil Probe is an advancement over the traditional tonsillotomy. The RAT procedure permits controlled reduction of the tonsil without excessive thermal damage or blood loss.



Cryptolysis

## MULTI-SPECIALTY ACCESSORIES

### General Surgery/Proctology

#### Laparoscopic Handpiece


##### IEC-XLP1

Reusable (2 per pack)

3" Length Handpiece.

Accepts 1/16" and 3/32" shafts

For Surgitron® Dual RF™, S5, AcuSect™ and  
RadioLase® Devices (1 pc)



##### IEC-LP1

Reusable (1 ea)

#### Laparoscopic Electrodes™

Reusable

Lap-Trode Individual Electrodes, 37.5cm Length Electrodes, 1/16" Shaft



Magnified view

##### L3 2mm Ball Lap-Trode



Magnified view

##### L4 9.5mm Needle Lap-Trode



Magnified view

##### L5 2.3mm Hook Lap-Trode



Magnified view

##### L6 2.3mm Blade Lap-Trode



Magnified view

##### L8 Hook Needle Lap-Trode



#### Laparoscopic Electrodes™ Set

##### L7

Reusable

Lap-Trode Set of 5 Assortment, (L3, L4, L5, L6, L7, L8) 37.5cm Length Electrodes, 1/16" Shaft

## MULTI-SPECIALTY ACCESSORIES

### Gynecology

#### LLETZ Electrodes Assortment Set






- W4** One of each in 5 styles, reusable (5 pcs)
- W4D** One of each in 5 styles, Sterile/Single-Use (5 pcs)

#### LLETZ Individual Electrodes

Available in 1/16" or 3/32"

Use "Q" as a prefix when ordering 3/32" shaft size

Use "D" as a suffix when ordering Sterile/Single-Use Versions of the LLETZ loop electrodes.

- |             |  |  |
|-------------|--|--|
| <b>W1</b>   | 15mm x 10mm Loop, reusable (1 pc)                            |    |
| <b>W1D</b>  | 15mm x 10mm Loop, Sterile/Single-Use (5 pcs)                 |  |
| <b>W2</b>   | 20mm x 10mm Loop, reusable (1 pc)                            |    |
| <b>W2D</b>  | 20mm x 10mm Loop, Sterile/Single-Use (5 pcs)                 |  |
| <b>W3</b>   | 25mm x 10mm Loop, reusable (1 pc)                            |   |
| <b>W3D</b>  | 25mm x 10mm Loop, Sterile/Single-Use (5 pcs)                 |  |
| <b>F2</b>   | Endo-Cervical Box 8mm x 11mm Box, reusable (1 pc)            |  |
| <b>F2D</b>  | Endo-Cervical Box 8mm x 11mm Box, Sterile/Single-Use (5 pcs) |  |
| <b>W18</b>  | 5mm Ball, reusable (1 pc)                                    |  |
| <b>W18D</b> | 5mm Ball, Sterile/Single-Use (5 pcs)                         |  |

#### Conization Electrode™

Reusable

- G1** Conization Electrode
- G1/4** 4" long, Rotated at 360° to provide a cone shaped specimen



#### Standard Electrode Set

- S10B/4** 4" shaft length, (7pcs) see page 33 for more information

#### External Genital Lesion RF Electrodes™

Reusable

- W15** Complete Set of Genital Lesion Electrode set of 4, includes W16, W17, W18 and W19 Electrodes

- |            |                          |  |
|------------|--------------------------|--|
| <b>W16</b> | 90mm Length, Angled Box  |  |
| <b>W17</b> | 4mm Length, Box          |   |
| <b>W18</b> | 90mm Length, 5mm Ball    |  |
| <b>W19</b> | 90mm Length, 3/8" Needle |  |

The **ellman**® LLETZ loop electrodes are used for the diagnosis and treatment of cervical intraepithelial neoplasia (CIN) and dysplasia.

## MULTI-SPECIALTY ACCESSORIES

### Gynecology

#### LLETZ Bayonet Electrodes

- W35** LLETZ Bayonet Electrode Set (5 pcs)  
Reusable. Use "D" as a suffix when ordering Sterile/Single-Use
- W35D** Sterile/Single-Use (5 pcs)
- W32** Reusable  
Bayonet, 25mm Loop (1 pc)
- W32D** Sterile/Single-Use (5 pcs)
- W31** Reusable  
Bayonet, 20mm Loop (1 pc)
- W31D** Sterile/Single-Use (5 pcs)
- W30** Reusable  
Bayonet, 15mm Loop (1 pc)
- W30D** Sterile/Single-Use (5 pcs)
- W34** Reusable  
Bayonette, 5mm Ball (1 pc)
- W34D** Sterile/Single-Use (5 pcs)
- W33** Reusable  
Endo-Cervical Bayonet,  
8mm Box (1 pc)
- W33D** Sterile/Single-Use (5 pcs)



#### Vaginal Speculums

- H55** Vaginal Speculum - Large, 5" Length
- H57** Vaginal Speculum - Standard, 4 1/2" Length
- H58** Vaginal Speculum (2 pcs - Large and Standard)



#### Vaginal Lateral Wall Retractor

**H69**



#### Needle Extender/Measured Dose Syringe

**H71**



## MULTI-SPECIALTY ACCESSORIES

### Plastic Surgery

#### Javate/Khan RF Endoscopic Forehead Suction Probe™

Reusable



#### Javate/Khan Endo Forehead Suction Set IEC-EE260

Reusable

Includes 2 probes, one Spade, one Scalpel with Suction Handpiece and Cable for Surgitron® 4.0 Dual RF™ and S5 Devices

**EE260**

For EMC Device

#### Javate/Khan Coated Flat Scalpel Suction Probe

**EE257**

Reusable

7/16" Tip Diameter (1 pc)



*Magnified view*



#### Javate/Khan Coated Spade Suction Probe

**EE258**

Reusable

7/16" Tip Diameter (1 pc)



*Magnified view*



The Javate/Khan Endoscopic Forehead Suction Probe™ utilizes a combination of suction and radiofrequency cutting.



## MULTI-SPECIALTY ACCESSORIES

### Plastic Surgery

#### Patented Dr. Constantin Stan Monopolar Forceps



#### Micro Stan RF™ Forceps

**IEC-MJ21**

Reusable

Suggested for Blepharoplasty and Facelift procedures

3.5" Length

Includes Quick-Connect™ Cable and Video CD

For use with Surgitron® Dual RF™ and S5 Devices

**MJ21**

For EMC Device



#### Mini Mono Stan RF™ Forceps

**IEC-MJ11/M**

Reusable

Monopolar Forceps with Cutting, Coagulation, Irrigation and Suction Port

Suggested for Facelifts

4.875" Length

Includes Quick-Connect™ Cable and Video CD

For use with Surgitron® Dual RF™ and S5 Devices

**MJ11/M**

For EMC Device



#### Mono Stan RF™ Forceps

**IEC-MJ11**

Reusable

Monopolar Forceps with Cutting, Coagulation, Irrigation and Suction Port

Suggested for Breast Augmentation Procedures

6.125" Length

Includes Quick-Connect™ Cable and Video CD

For use with Surgitron® Dual RF™ and S5 Devices

**MJ11**

For EMC Device

The **ellman®** Micro, Mini and Mono Stan Forceps simultaneously dissect and coagulate tissues using the 4.0 MHz radiofrequency.



Facelift

The insides of tips on the Mini Mono and Mono Stan Forceps are serrated.

## MULTI-SPECIALTY ACCESSORIES

### Dermatology


#### Cosmetic Treatment Package

For treating telangiectasia and epilation of hair follicles

- H135A** For EMC Device
- IEC-H135A** For S5, Surgitron® Dual RF™, AcuSect™ and RadioLase® Devices

Package Includes: One MicroInsulated Needle Handpiece, 50 MicroInsulated Sterile Needles and 50 Patient Education Brochures

- XH136** MicroInsulated Needle Handpiece™ For EMC Device (2 pcs)
- IEC-XH136** MicroInsulated Needle Handpiece™ For S5, Surgitron® Dual RF™, AcuSect and RadioLase Devices (2 pcs)
- H137** MicroInsulated Sterile Needles (50 pcs)
- H1375** MicroInsulated Sterile Needles bulk pkg (250 pcs)
- CC09116** Patient Education Brochure: FAQ's Facial Veins (50 pcs)



#### Dermatology Electrode Assortment Set

**DDERM40**

Assorted, Sterile/Single-Use Electrodes, 1/16" shaft (4 electrode styles)



#### Insulated Needles

- D41** 27 Gauge, 0.014" Diameter Needle
- D42** 30 Gauge, 0.012" Diameter Needle
- D43** Insulated Needle Set, 27-Gauge and 30-Gauge (2 pcs, one of each)



- Rhinophyma Electrode Set** see page 30
- Corneal Shields™** see page 55
- Chedly Eyelid Retractor** see page 55

The **ellman**® Cosmetic Treatment Package is an effective, comfortable way to remove small unsightly "spider veins" with minimal recovery time, minimal scarring and immediate improvement in appearance.

With the advent of **ellman**® radiowave sclerotherapy, many small facial veins can now be treated without surgery or injections.<sup>1</sup>



Telangiectasia Before



Telangiectasia After

1. Pfenninger, J et al, Procedures for Primary Care (2003); second Edition, p221

## MULTI-SPECIALTY ACCESSORIES

# Pellevé® Wrinkle Reduction System

### GlideSafe® Handpieces



**P275HPDU** GlideSafe® 7.5mm Wrinkle Treatment Handpiece†\*  
(3 pcs) and Cable (1 pc); Fixed-Life Reusable



**P210HPDU** GlideSafe® 10mm Wrinkle Treatment Handpiece†\*  
(3 pcs) and Cable (1 pc); Fixed-Life Reusable



**P215HPDU** GlideSafe® 15mm Wrinkle Treatment Handpiece†\*  
(3 pcs) and Cable (1 pc); Fixed-Life Reusable



**P220HPDU** GlideSafe® 20mm Wrinkle Treatment Handpiece†\*  
(3 pcs) and Cable (1 pc); Fixed-Life Reusable



Magnified view 1.5X

† Non-USA Customers: order without the "U" suffix (e.g.-P215HPD)

**P2CBD** Pellevé® Quick-Connect Cable, 2m.  
For use with GlideSafe® Handpieces (6 pcs)



**DHPG8** Pellevé® Treatment Gel, 8 oz



**Temp 62** Fluke 62 Mini Infrared Thermometer

\*GlideSafe® handpieces Patent Pending;  
only compatible with Pellevé® S5 or Surgitron® S5 energy sources.

## MULTI-SPECIALTY ACCESSORIES

### Ophthalmology/Oculoplastics

#### Goisis RF Elevator ACe-Tip™

**GE1**

Reusable  
(1 pc)



#### Wedge Resection Electrode Set™

**EE255**

Reusable  
(set of three)

#### Wedge Resection Electrode

**TEE237** 1/4" tip (2 pcs)



**TEE236** 3/16" tip (2 pcs)



**TEE235** 1/8" tip (2 pcs)



#### Beigi Minimally Invasive Entropion Electrode

**TEE603**

Sterile/Single-Use  
(2 pcs)



#### Ophthalmic Micro-Dissection Electrodes™



**TA10/C1**

Reusable. 2" Electrodes  
1.5mm of active .004 Wire (2 pcs)



**TA10/C2**

Reusable. 2" Electrodes  
3.0mm of active .004 Wire (2 pcs)



**TA10/C3**

Reusable. 2" Electrodes  
5.0mm of active .004 Wire (2 pcs)

**A10**

Reusable  
Set of two (1.5mm and 3.0mm, .004 Wire - one of each)

Note: Add/OP after the Catalog Number to order 1/2" shorter,  
Ophthalmic Micro-Dissection Electrodes™ (Not available for all codes)



#### Goisis RF Elevator ACe-Tip™

##### Product Benefits:

- Aesthetic midface lift easily done under local anaesthesia.
- Easier and faster orbital decompression in Basedow disease.
- Easier and faster treatment of orbital and facial traumas.
- Versatility – evisceration of the eye with a single instrument.
  - Conjunctival peritomy
  - Cornea excision
  - Globe content removal and full-thickness sclerotomies.

## MULTI-SPECIALTY ACCESSORIES

### Ophthalmology/Oculoplastics

#### Corneal Shields™

**H781**

Autoclavable  
Assorted Package  
one pair each size,  
small, medium, large and  
1 suction handle



- H75A** Small - Red (1 handle, 2 pair)
- H76A** Medium - Green (1 handle, 2 pair)
- H77A** Large - Blue (1 handle, 2 pair)

- H78A** Suction Handle (2 pcs)
- H78B** Suction Handle (25 pcs)



#### Chedly Eyelid Retractor

**H21A**

Reusable  
(1 pc)



#### Chedly Punctal Occlusion (CPO) Electrodes

**TNAEE330**

Reusable set of two ACe-Tip™ Electrodes



#### Baker Brow Probe

**EE279**

Reusable  
(2 pcs)



The **ellman**® Corneal Shield™ tightens the skin to allow for more precise incisions. It is an excellent aid when performing periorbital surgery and aids in the protection from cautery, desiccation, irritation or trauma, during and after surgery of eyelid and orbital regions.

The Chedly Eyelid Retractor allows access for oculoplastic procedures i.e. upper and lower blepharoplasty, ptosis, trichiasis and minor eyelid procedures.

MULTI-SPECIALTY ACCESSORIES

**Family Practice/Podiatry**



**ellman® Digit Tourniquets**  
**H97 ellman® Cots – Small (12 pcs)**



**H98 ellman® Cots – Medium (12 pcs)**



**H99 ellman® Cots – Large (12 pcs)**

**ECOTS- 4 each small, medium and large ellman® Cots.**



**Ingrown Toenail**

The **ellman®** radiosurgical nail matrixectomy technique for Ingrown Toenail allows the matrix to be destroyed electrically with a teflon coated electrode, which protects the overlying eponychium.



**Insulated Matrixectomy Electrodes™\***

**H9** Reusable  
 Set of 3 electrodes  
 1/16" or 3/32" shaft  
 Matrixectomy Electrode Set  
 Includes one each of: H10D, H10E, H10A



**H10D** 2mm Matrix Electrodes  
 Reusable (2 pc)



**H10E** 4mm Matrix Spicule Electrodes  
 Reusable (2 pc)



**H10A** Matrix Spicule (Ball) Electrode  
 Reusable (1 pc)

*\*Electrodes are displayed in actual size.*

# INDEX

<b>Accessories</b>	<b>36</b>	Scalpel Electrode	29	<b>Neutral Plates</b>	<b>9</b>
Educational Accessories	35	Triangle Loop Electrodes	27	EMC Neutral Plate	9
<i>(Educational Materials)</i>		<b>Reusable Electrodes Sets</b>	32	IEC Neutral Plate	9
Laser Office Pull Up Banners	35	Assorted Ball Electrode Set	33	IEC Disposable Neutral	
Patient Educational Brochures	35	Assorted Diamond Loop		Plate-Small Size	9
Pellevé® Before and After Book	35	Electrode Set	33	IEC Disposable Neutral	
Pellevé® Marketing Kits	35	Assorted Needle Electrode Set	32	Plate-Standard Size	9
Pellevé® Posters	35	Assorted Oval Loop Electrode Set	33	<b>Pellevé® Wrinkle Reduction</b>	
<b>Device/Accessories</b>	<b>36</b>	Assorted Round Loop		<b>System</b>	<b>52</b>
Cart	36	Electrode Set	32	GlideSafe® Handpieces	52
SugiCart™	36	Assorted Triangle Loops		Pellevé® Quick-Connect Cable	52
Surg-e®-Vac™	36	Electrode Set	33	Pellevé® Products & Accessories	52
Vac Assist Stand	36	Rodin® Microsurgery ACe-Tip™		<b>Ophthalmology/Oculoplastics</b>	<b>54</b>
<b>Accessories</b>	<b>37</b>	Electrode Set	32	Baker Brow Probe	55
<i>(Smoke Evacuation System)</i>		Standard Electrode Set	32	Beigi Minimally Invasive	
Surg-e®-Vac™ Accessories		<b>Energy Sources</b>	<b>5</b>	Entropion Electrode	54
for both Surg-e®-Vac™ and		AcuSect®	8	Chedly Eyelid Retractor	55
Vapor-Vac II™ Accessories	37	Pellevé® S5	5	Chedly Punctal Occlusion (CPO)	
<b>Accessories</b>	<b>38</b>	Surgitron® Dual RF™ S5	6	Electrodes	55
<i>(Multi-Specialty Accessories)</i>		Surgitron® Dual RF™	7	Corneal Shields™	55
Medi-Frig™	38	Surgitron® Dual/EMC	7	Goisih RF Elevator ACe-Tip™	54
Wipe-Its™	38	Surgitron® FFPF EMC	8	Ophthalmic Micro-Dissection	
<b>ACe-Tip™ Low-Stick Forceps</b>	<b>20-21</b>	<b>Family Practice/Podiatry</b>	<b>55</b>	Electrodes™	54
<b>Adapters For Surgitron® EMC</b>	<b>13</b>	ellman® Digit Tourniquets	55	Wedge Resection Electrode	54
Bipolar Converter Steri Caps™	14	Insulated Matrixectomy		Wedge Resection	
EMC Steri Caps™	14	Electrodes™	55	Electrode Set™	54
Patented 1-Button Fingerswitch		<b>Footswitches</b>	<b>10</b>	<b>Otorhinolaryngology</b>	<b>39</b>
Handpiece with Locking Chuck	13	Dual Frequency Footswitch and		3" Length Handpiece with	
Patented Bipolar Converter	14	Cable Pneumatic Footswitch	10	Locking Chuck	39
Universal Fingerswitch Adapter	13	Radiolase I Footswitch and Cable	10	Adenoid RF Electrode™	42
Wall Bracket	14	Radiolase 3 Monopolar/Bipolar		Bayonet RF Turbinate Volume	
<b>Bayonet Bipolar Forceps</b>	<b>19</b>	Footswitch	10	Reduction Electrode™	41
<b>Bipolar Forceps</b>	<b>17-18</b>	<b>General Surgery/Proctology</b>	<b>46</b>	Cleaning Brush for Suction Probe	43
<b>Cables</b>	<b>11</b>	Laparoscopic Electrodes™	46	Clear-Vu® Bayonet Electrodes	41
Bipolar Cable	11	Laparoscopic Handpiece	46	Cryptolysis Electrode	45
Lap/Endo Monopolar Cable	11	<b>Gynecology</b>	<b>47</b>	HLTZ Tonsillotomy Electrode™	42
Snare Cable	11	Conization Electrode™	47	Micro-Larynx™ RF Probes	39
Quick-Connect™ Cable	11	External Genital Lesion		OTO-RAM™ Radiofrequency	
<b>Dermatology</b>	<b>51</b>	RF Electrodes™	47	Assisted Myringotomy Set	40
Cosmetic Treatment Package	51	LLETZ Bayonet Electrodes	48	OTO-RAM™ Probes	40
Dermatology Electrode		LLETZ Electrodes Assortment Set	47	RAUP Electrode™	42
Assortment Set	51	LLETZ Individual Electrodes	47	Angled Suction Coagulator™	44
Insulated Needles	51	Monsef's Solution	48	Bipolar Tonsil Reduction Probe™	
<b>Electrodes</b>	<b>22</b>	Needle Extender/Measured		and Quick-Connect™ Cable	43
<b>Electrodes Accessories</b>	<b>34</b>	Dose Syringe	48	Myringotomy Electrode™	40
<b>Sterile/Single-Use</b>	<b>23</b>	Vaginal Lateral Wall Retractor	48	Suction Adenoid Probes	43
Empire® microIncision™		Vaginal Speculums	48	Suction Coagulator™	44
Needle Electrodes	24-25	<b>Handpieces</b>	<b>15</b>	Suction Coagulation Kit	44
Medical Electrode Set	23	3" Length Handpiece with		Suction Tonsillectomy Probe™	
<b>Reusable Electrodes</b>	<b>26</b>	Patented Locking Chuck	16	and Quick-Connect™ Cable	43
ACe-Tip™		Blade Handpiece with		Tongue Base Reduction	
Advanced Composition Alloy	31	Locking Chuck	16	Electrode™	42
Ball Electrodes	28	Foot-Controlled Handpiece with		Polyp Snare™ System for Nasal	
Chedly Punctal Occlusion (CPO)		Locking Chuck	16	Polyps	45
Electrodes	31	microInsulated Needle Handpiece		Quick-Connect™ Cable	39
Diamond Loop Electrodes	27	with Locking Chuck	16	RF Assisted Tonsillotomy (RAT)	
Empire® MicroTip Electrodes	29	1-Button Fingerswitch		Ball Electrodes™	45
Insulated Needle Electrodes™	29	Handpiece with Locking Chuck	15	Sub-Mucosal VTR (UPP)	
Javate Endoscopic DCR		3-Button Fingerswitch		Electrode	42
Electrodes	30	Blade Handpiece with		<b>Plastic Surgery</b>	<b>49</b>
Needle Electrodes	26	Locking Chuck	15	Javate/Khan Coated Flat Scalpel	49
Oval Loop Electrodes	28	3-Button Fingerswitch		Javate/Khan Coated Spade	49
Radiosurgical Mucotome		Handpiece with		Javate/Khan Endo Forehead	
Electrodes	30	Locking Chuck	15	Suction Set	49
Rhinophyma Electrode Set	29	Sterile 3-Button		Micro Stan RF™ Forceps	50
Round Loop Electrodes	26	Fingerswitch Handpiece		Mini Mono Stan RF™ Forceps	50
		with Locking Chuck	15	Mono Stan RF™ Forceps	50
		Rodin® Microsurgery Handpiece	16	<b>Surg-e®-Doc™</b>	<b>12</b>











Adresse: Bautzner Straße 187, 01099 Dresden, Germany  
T: +49 015 221 442190, e-mail: [nia@pmmfgmedicals.com](mailto:nia@pmmfgmedicals.com)  
[www.pmmfgmedicals.eu](http://www.pmmfgmedicals.eu)